

Sikadur® 23 Lo-Mod Gel Part B

Revision Date 05/14/2014

#### 1. Identification

| Product name  | : | Sikadur® 23 Lo-Mod Gel Part B  |
|---|---|--|
| Supplier  | : | Sika Corporation   |
| Address   | : | 201 Polito Avenue<br>Lyndhurst, NJ 07071<br>USA<br>www.sikausa.com         |
| Telephone   | : | (201) 933-8800   |
| Telefax   | : | (201) 804-1076   |
| Emergency telephone                                     | : | CHEMTREC: 800-424-9300<br>INTERNATIONAL: 703-527-3887<br>ehs@sika-corp.com |
| Recommended use of the chemical and restrictions on use | : | For further information, refer to the product technical data sheet.        |

#### 2. Hazards identification

#### **GHS Classification**

Skin irritation , Category 2 Serious eye damage , Category 1 Skin sensitization , Category 1 Carcinogenicity , Category 1A (Inhalation) Reproductive toxicity , Category 2 H315: Causes skin irritation.H318: Causes serious eye damage.H317: May cause an allergic skin reaction.H350i: May cause cancer by inhalation.H361: Suspected of damaging fertility or the unborn child.

| GHS Label element        |  |
|--------------------------|--|
| Hazard pictograms        |  |
| Signal Word              | : Danger   |
| Hazard Statements        | <ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H350i May cause cancer by inhalation.</li> <li>H361 Suspected of damaging fertility or the unborn child.</li> </ul>                       |
| Precautionary Statements | <ul> <li>Prevention:<br/>P201 Obtain special instructions before use.<br/>P202 Do not handle until all safety precautions have been read<br/>and understood.<br/>P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.<br/>P264 Wash skin thoroughly after handling.</li> </ul> |





P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear eye protection/ face protection. P280 Wear protective gloves. P281 Use personal protective equipment as required. **Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P310 Immediately call a POISON CENTER or doctor/ physician. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

See Section 11 for more detailed information on health effects and symptoms.

# 3. Composition/information on ingredients

#### Hazardous ingredients


| Chemical Name                         | CAS-No.    | Concentration (%) |
|---------------------------------------|------------|-------------------|
| Phenol, 4-nonyl, branched             | 84852-15-3 | >= 20 - < 25 %    |
| Quartz (SiO2)                         | 14808-60-7 | >= 5 - < 10 %     |
| Polyoxypropylenediamine               | 9046-10-0  | >= 5 - < 10 %     |
| 2-Methyl-1,5-pentamethylendiamine     | 15520-10-2 | >= 2 - < 5 %      |
| 2,4,6-tris(dimethylaminomethyl)phenol | 90-72-2    | >= 1 - < 2 %      |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.


#### 4. First aid measures

| If inhaled              | : Move to fresh air.<br>Consult a physician after significant exposure.   |
|-------------------------|---|
| In case of skin contact | <ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>            |
| In case of eye contact  | <ul> <li>Small amounts splashed into eyes can cause irreversible<br/>tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty</li> </ul> |

Safety Data Sheet



| evision Date 05/14/2014  | Print Date 05/14/201  |
|--|---|
|  | of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.   |
| If swallowed   | <ul> <li>Clean mouth with water and drink afterwards plenty of water.<br/>Induce vomiting immediately and call a physician.</li> <li>Do NOT induce vomiting.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul> |
| Most important symptoms and effects, both acute and delayed  | : irritant effects<br>sensitizing effects<br>carcinogenic effects   |
|  | Allergic reactions<br>Excessive lachrymation<br>Erythema<br>Dermatitis<br>See Section 11 for more detailed information on health effects<br>and symptoms.   |
| Protection of first-aiders   | : Move out of dangerous area.<br>Consult a physician.<br>Show this material safety data sheet to the doctor in<br>attendance.   |
| Notes to physician   | : Treat symptomatically.  |
| . Fire-fighting measures   |   |
| Suitable extinguishing media   | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| Specific extinguishing methods   | <ul> <li>Collect contaminated fire extinguishing water separately. This<br/>must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water must<br/>be disposed of in accordance with local regulations.</li> </ul>                                 |
| Special protective equipment for fire-fighters   | : In the event of fire, wear self-contained breathing apparatus.  |
| . Accidental release measures  |   |
| Personal precautions,<br>protective equipment and<br>emergency procedures<br>Environmental precautions | : Use personal protective equipment.<br>Deny access to unprotected persons.   |
|  | <ul> <li>Do not flush into surface water or sanitary sewer system.</li> <li>If the product contaminates rivers and lakes or drains inform<br/>respective authorities.</li> <li>Local authorities should be advised if significant spillages<br/>cannot be contained.</li> </ul>           |
| Methods and materials for containment and cleaning up  | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  |



Print Date 05/14/2014


Keep in suitable, closed containers for disposal.

# 7. Handling and storage

| Advice on safe handling     | <ul> <li>Do not breathe vapors or spray mist.<br/>Avoid exceeding the given occupational exposure limits (see section 8).<br/>Do not get in eyes, on skin, or on clothing.<br/>For personal protection see section 8.<br/>Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.<br/>Smoking, eating and drinking should be prohibited in the application area.<br/>Follow standard hygiene measures when handling chemical products.</li> </ul> |
|-----------------------------|---|
| Conditions for safe storage | <ul> <li>Prevent unauthorized access.</li> <li>Store in original container.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Store in accordance with local regulations.</li> </ul>  |
| Materials to avoid          | : no data available   |

#### 8. Exposure controls/personal protection

| Talc (Mg3H2(SiO3)4) | 14807-96-6 | OSHA P0  | TWA | 2 mg/m3<br>Respirable fraction                 |
|---------------------|------------|----------|-----|--|
|                     |            | ACGIH    | TWA | 0.1 fibre/cm3                                  |
|                     |            | ACGIH    | TWA | 2 mg/m3<br>Respirable fraction                 |
|                     |            | OSHA Z-3 | TWA | 20 Million particles<br>per cubic foot<br>Dust |
| Quartz (SiO2)       | 14808-60-7 | ACGIH    | TWA | 0.025 mg/m3<br>Respirable fraction             |
|                     |            | OSHA Z-3 | TWA | 30 mg/m3<br>/ %SiO2+2<br>total dust            |
|                     |            | OSHA Z-3 | TWA | 10 mg/m3<br>/ %SiO2+2<br>respirable            |



# Sikadur® 23 Lo-Mod Gel Part B

Revision Date 05/14/2014

Print Date 05/14/2014

|  | OSHA Z-3 | TWA | 250 mppcf<br>/ %SiO2+5<br>respirable |
|--|----------|-----|--------------------------------------|
|  | OSHA P0  | TWA | 0.1 mg/m3<br>Respirable fraction     |

| Engineering measures | : | Use of adequate ventilation should be sufficient to control<br>worker exposure to airborne contaminants. If the use of this<br>product generates dust, fumes, gas, vapor or mist, use<br>process enclosures, local exhaust ventilation or other<br>engineering controls to keep worker exposure below any<br>recommended or statutory limits. |
|----------------------|---|---|
|                      |   |   |

# Personal protective equipment

| Respiratory protection     | : | Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.   |
|----------------------------|---|--|
|                            |   | The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. |
| Hand protection<br>Remarks | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  |
| Eye protection             | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.  |
| Skin and body protection   | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.   |
| Hygiene measures           | : | Avoid contact with skin, eyes and clothing.<br>Wash hands before breaks and immediately after handling the<br>product.<br>Remove contaminated clothing and protective equipment<br>before entering eating areas.<br>Wash thoroughly after handling.                    |

# 9. Physical and chemical properties

| Appearance | : | paste     |
|------------|---|-----------|
| Color      | : | dark gray |

Safety Data Sheet



# Sikadur® 23 Lo-Mod Gel Part B

Pr

Print Date 05/14/2014

| Odor  | : | amine-like                         |
|---|---|------------------------------------|
| Odor Threshold                                | : | no data available                  |
| Flash point                                   | : | > 212 °F (> 100 °C)                |
| Ignition temperature                          | : | not applicable                     |
| Decomposition temperature                     | : | no data available                  |
| Lower explosion limit (Vol%)                  | : | no data available                  |
| Upper explosion limit (Vol%)                  | : | no data available                  |
| Flammability (solid, gas)                     | : | no data available                  |
| Oxidizing properties                          | : | no data available                  |
| Autoignition temperature                      | : | no data available                  |
| рН  | : | no data available                  |
| Melting point/range /                         | : | no data available                  |
| Freezing point<br>Boiling point/boiling range | : | no data available                  |
| Vapor pressure                                | : | no data available                  |
| Density                                       | : | 1.58 g/cm3<br>at 68 °F (20 °C)     |
| Water solubility                              | : | Note: slightly soluble             |
| Partition coefficient: n-<br>octanol/water    | : | no data available                  |
| Viscosity, dynamic                            | : | no data available                  |
| Viscosity, kinematic                          | : | > 20.5 mm2/s<br>at  104 °F (40 °C) |
| Relative vapor density                        | : | no data available                  |
| Evaporation rate                              | : | no data available                  |
| Burning rate                                  | : | no data available                  |
| Volatile organic compounds (VOC) content      | : | < 10 g/l<br>A+B Combined           |
|   |   |                                    |

| 10. Stability and reactivity |   |
|------------------------------|---|
| Reactivity                   | : No dangerous reaction known under conditions of normal use. |
| Chemical stability           | : The product is chemically stable.                           |
| Possibility of hazardous     | : Stable under recommended storage conditions.                |



# Sikadur® 23 Lo-Mod Gel Part B

Revision Date 05/14/2014

| reactions<br>Conditions to avoid | : no data available |
|----------------------------------|---------------------|
| Incompatible materials           | : no data available |

# 11. Toxicological information

# Acute toxicity

| <u>Product</u>                                       |  |
|--|--|
| Acute oral toxicity                                  | : no data available                      |
| Acute inhalation toxicity                            | : no data available                      |
| Acute dermal toxicity                                | : no data available                      |
| Ingredients:   |  |
| Phenol, 4-nonyl, branched :<br>Acute dermal toxicity | : LD50 Dermal rabbit: 3,160 mg/kg        |
|  |  |
| 2-Methyl-1,5-pentamethylend<br>Acute oral toxicity   | liamine:<br>: LD50 Oral rat: 1,170 mg/kg |
| Acute dermal toxicity                                | : LD50 Dermal rabbit: 1,870 mg/kg        |
| Skin corrosion/irritation                            |  |
| <u>Product</u>                                       |  |
| Result: Skin irritation                              |  |
| Causes skin irritation.                              |  |
| Serious eye damage/eye irritation                    | 1  |
| Product  |  |
| Causes serious eye damage.                           |  |
| Respiratory or skin sensitization                    |  |
| Product  |  |
| May cause an allergic skin read                      | ction.                                   |
| Germ cell mutagenicity                               |  |
| Product  |  |
| Mutagenicity   | : no data available                      |
| Carcinogenicity                                      |  |

# Carcinogenicity

Product

Safety Data Sheet



Sikadur® 23 Lo-Mod Gel Part B

| Revision Date 05/14/2014        |                                      | Print Date 05/14/2014 |
|---------------------------------|--------------------------------------|-----------------------|
| Carcinogenicity                 | : May cause cancer by inhalation.    |                       |
| IARC                            | Group 1: Carcinogenic to humans      |                       |
|                                 | Quartz (SiO2) 148                    | 808-60-7              |
| NTP                             | Known to be human carcinogen         |                       |
|                                 | Quartz (SiO2) 148                    | 808-60-7              |
| Reproductive Toxicity/Fertility |                                      |                       |
| Product                         |                                      |                       |
| Reproductive toxicity           | : Suspected of damaging fertility of | or the unborn child.  |
| Reproductive Toxicity/Developm  | ent/Teratogenicity                   |                       |
| <u>Product</u>                  |                                      |                       |

Teratogenicity : no data available

# STOT-single exposure

# **Product**

Assessment: no data available

#### STOT-repeated exposure

Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

# **Product**

Assessment: no data available

#### Aspiration toxicity

# Product

no data available

#### 12. Ecological information

Other information Do not empty into drains; dispose of this material and its container in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May be harmful to the environment if released in large quantities. Water polluting material.

# 13. Disposal considerations

#### **Disposal methods**

Waste from residues

: Disposal of this product, solutions and any by-products should



| Jika Sikadur® 23         | Lo-Mod Gel Part B   |
|--------------------------|---|
| Revision Date 05/14/2014 | Print Date 05/14/2014   |
|                          | at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. |
| Contaminated packaging   | : Empty containers should be taken to an approved waste<br>handling site for recycling or disposal.   |

#### 14. Transport information

Not regulated

| ΙΑΤΑ  |   |
|---|---|
| UN number   | 3082  |
| Description of the goods  | Environmentally hazardous substance, liquid, n.o.s.<br>(Phenol, 4-nonyl, branched)                            |
| Class   | 9   |
| Packing group   |   |
| Labels  | 9   |
| Packing instruction (cargo<br>aircraft)                                   | 964   |
| Packing instruction<br>(passenger aircraft)                               | 964   |
| Packing instruction<br>(passenger aircraft)                               | Y964  |
|   |   |
| IMDG  |   |
| IMDG<br>UN number   | 3082  |
|   | 3082<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.  |
| UN number   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.   |
| UN number   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  |
| UN number<br>Description of the goods                                     | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(Phenol, 4-nonyl, branched)                         |
| UN number<br>Description of the goods<br>Class                            | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(Phenol, 4-nonyl, branched)<br>9                    |
| UN number<br>Description of the goods<br>Class<br>Packing group           | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(Phenol, 4-nonyl, branched)<br>9<br>III<br>9<br>F-A |
| UN number<br>Description of the goods<br>Class<br>Packing group<br>Labels | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(Phenol, 4-nonyl, branched)<br>9<br>III<br>9        |

# Special precautions for user


no data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

#### 15. Regulatory information

**TSCA** list

: All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory



exemption.

# EPCRA - Emergency Planning and Community Right-to-Know

# CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards   | Acute Health Hazard<br>Chronic Health Hazard  |
|--|---|
| SARA 302 :   | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.   |
| SARA 313 :   | SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |
| Clean Air Act  |   |
| Ozone-Depletion<br>Potential                                   | This product neither contains, nor was manufactured with a<br>Class I or Class II ODS as defined by the U.S. Clean Air Act<br>Section 602 (40 CFR 82, Subpt. A, App.A + B).                 |
| This product does not contain a Air Act Section 12 (40 CFR 61) | ny hazardous air pollutants (HAP), as defined by the U.S. Clean   |

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).


| California Prop 65 | WARNING! This product contains a chemical known in the |
|--------------------|--|
|                    | State of California to cause cancer.                   |

#### 16. Other information

**HMIS Classification** 

| Health            | *  | 3 |
|-------------------|----|---|
| Flammability      |    | 1 |
| Physical Hazard   |    | 0 |
| Personal Protecti | on | x |

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.



Print Date 05/14/2014

# Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sikausa.com or 201-933-8800.

Revision Date 05/14/2014

Material number: 107381