# MATERIAL SAFETY DATA SHEET



Page 1 of 4

## Sikadur 330 US - Part A

Manufacturer

201 Polito Ave

Sika Corporation

Lyndhurst, NJ 07071

Company Contact: EHS Department

Manufacturer Emergency Contacts & Phone Number

**Telephone Number: 201-933-8800** 

**FAX Number:** 201-933-9379

Web Site: www.sikausa.com

#### **HMIS**

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION [	С

## 1. Product And Company Identification

Supplier **Sika Corporation** 201 Polito Ave Lyndhurst, NJ 07071

**Company Contact:** EHS Department **Telephone Number: 201-933-8800** FAX Number: 201-933-9379

Web Site: www.sikausa.com

**Supplier Emergency Contacts & Phone Number** 

CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887

CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887

Issue Date: 01/19/2005

Chemical Family: Filled and modified reactive resin

MSDS Number: 3439 Product Code: 333-001

2. Composition/Information On Ingredients

Product Name: Sikadur 330 US - Part A

· · · · · · · · · · · · · · · · · · ·		
Ingredient	CAS	Percent Of
Name	Number	Total Weight
AROMATIC HYDROCARBON BLEND	Mixture	
EPOXY RESIN	25068-38-6	

#### 3. Hazards Identification

#### **Eye Hazards**

Causes eye irritation.

#### **Skin Hazards**

May cause skin irritation. Prolonged and/or repeated skin contact may cause an allergic reaction/sensitization.

## **Ingestion Hazards**

Harmful if swallowed.

#### **Inhalation Hazards**

May cause respiratory tract irritation.

# Sikadur 330 US - Part A

#### 4. First Aid Measures

#### Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

#### Skin

In case of contact, immediately flush skin with soap and plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

#### **Ingestion**

Dilute with water. Do not induce vomiting. Never give anything by mouth to an unconscious victim. Contact physician.

#### Inhalation

Remove to fresh air. If breathing has stopped, institute artificial respiration. Consult a physician.

## 5. Fire Fighting Measures

Flash Point: >215 °F 102 °C Autoignition Point: N/AV °F

## Fire And Explosion Hazards

None known

#### **Extinguishing Media**

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

#### Fire Fighting Instructions

In the event of a fire, firefighters should wear full protective clothing and NIOSH-approved self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode.

#### 6. Accidental Release Measures

Avoid release to the environment. Use appropriate Personal Protective Equipment (PPE). Contain spill and collect with absorbent material and transfer into suitable containers. Do not flush to sewer or allow to enter waterways. Ventilate enclosed area.

#### 7. Handling And Storage

## **Handling And Storage Precautions**

Keep out of reach of children. Store in a cool well ventilated area. Keep containers tightly closed.

#### **Storage Precautions**

Protect from frost. Protect from heat and direct sunlight.

## **Work/Hygienic Practices**

Wash thoroughly with soap and water after handling product.

## 8. Exposure Controls/Personal Protection

#### **Engineering Controls**

Use with adequate general and local exhaust ventilation. Refer to the current edition of "Industrial Ventilation: A Manual of Recommended Practice" published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

## **Eye/Face Protection**

Safety glasses with side shields or goggles.

#### **Skin Protection**

Avoid skin contact. Wear long sleeve shirt and long pants. Wear chemical resistant gloves.

## Sikadur 330 US - Part A

#### 8. Exposure Controls/Personal Protection - Continued

#### **Respiratory Protection**

A respirator protection program that meets 29 CFR 1910.134 requirement must be followed whenever workplace conditions warrant a respirator's use.

#### **Other/General Protection**

Wash thoroughly with soap and water after handling.

#### 9. Physical And Chemical Properties

#### **Appearance**

White paste

#### Odor

Mild aromatic odor

Chemical Type: Mixture Physical State: Solid Specific Gravity: 1.37

#### 10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

## **Conditions To Avoid (Stability)**

None known

#### **Incompatible Materials**

Strong oxidizing materials, acids, bases.

## **Hazardous Decomposition Products**

CO, CO2

#### **Conditions To Avoid (Polymerization)**

Hazardous reactions with Amines, Phenols

No decomposition if used as prescribed.

#### 11. Toxicological Information

No Data Available...

#### 12. Ecological Information

No Data Available...

## 13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations. Waste generators must determine whether a discarded material is classified as a hazardous waste. USEPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

#### 14. Transport Information

#### **Proper Shipping Name**

Not Regulated by the US DOT

## 15. Regulatory Information

#### **U.S. Regulatory Information**

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

## Sikadur 330 US - Part A

## 15. Regulatory Information - Continued

## **U.S. Regulatory Information - Continued**

#### **SARA Hazard Classes**

Acute Health Hazard

## **SARA Section 313 Notification**

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

#### 16. Other Information

## **HMIS Rating**

Health: 2 Fire: 1 Reactivity: 0 PPE: C

# Revision/Preparer Information MSDS Preparer: EHS Department

MSDS Preparer Phone Number: 201-933-8800

#### **Disclaimer**

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied andassume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

#### SIKA CORPORATION

Printed Using MSDS Generator™ 2000